Info

This note, that was found here, as a part of a collection
is written (completely with human hands) by Rupadarshi Ray,
was created on December 20, 2021 12:18:49 AM,
was last modified on September 4, 2026 9:28:40 PM, and
was exported on September 7, 2026 3:04:07 PM.

$(\mathbb{R}, +, \times, <, \sup)$

Current note has 3 direct children and 3 total descendants.

- stretchy
  - $(\mathbb{R}, +, \times, <, \sup)$
    - Connected sets in $\mathbb{R}$
    - Existence of $\mathbb{R}$
    - Metrics on $\mathbb{R}$

And it has 62 siblings.

- stretchy
  - Trefoil 3_1 knot
  - The only compact connected Lie group that can act faithfully on a torus is itself
  - Hecke algebras
  - $\overline{B^n}$
  - $\mathrm{BS}(1,2)$
  - $(\mathbb{C}, +, \times)$
  - $D^* := D \setminus \{0\}$
  - Cantor set
  - Configuration space of N rigid points in $\mathbb{R}^3$
  - Free groups
  - $GL(2)(\mathbb{Z}) \curvearrowright T^2$
  - H^3_2
  - $[a, b]$
  - Figure 8 knot
  - Lamplighter group on $\mathbb{Z}_2$
  - $\beta\mathbb{N}$
  - $\#_2\mathbb{R}P^2$
  - $\prod_{i\in\mathbb{N}}\{1, \ldots, n_i\}$
  - $\mathbb{R}P^n$
  - $(\mathbb{Q}, +, \times, <)$
  - $\mathbb{Q}_{\hat{p}}$
  - $\overline{\mathbb{Q}}$
  - $\mathbb{Q}_{\mathrm{constr}}$
  - $\mathbb{Q}(\xi_n)$
  - $\mathcal{O}_{\overline{\mathbb{Q}}}$
  - $(\mathbb{R}, +, \times, <, \sup)$
  - Homeomorphism of $\mathbb{R}^2$ that sends $\mathbb{N}$ to a countable closed discrete subset
  - $\mathbb{R}^2 \times S^1$
  - $\mathbb{R}^n$
  - $\mathbb{R} \times S^1$
  - $\mathbb{R} \times S^2$
  - S^1
  - $S^1 \wedge S^1$
  - $S^1 \times S^n$
  - S^2 and $\mathbb{C}\boldsymbol{P}^1$
  - Mapping torus of the antipodal map of S^2
  - S^3
  - S^n
  - I-bundle
  - Symmetric group
  - T
  - T^2
  - T^2_g
  - $T^2_{0,0,3}$
  - $\mathbb{R}^2 \setminus \{0\}$
  - Three $T^2_{1,0,1}$-glued at their boundaries
  - $T^2_{1,1,0}$
  - T^2_2
  - $T^2_g \times [0, 1]$
  - $\#_{\mathbb{N}}T^2$
  - Thompson's group
  - T^n
  - 3-valent tree
  - 4-valent tree
  - $[0, 1]^{\mathbb{N}}$ with product topology
  - Whitehead manifolds
  - $\mathbb{Z}$
  - $\mathbb{Z}[\sqrt{m}]$
  - $\mathbb{Z}[X]$
  - $\mathbb{Z}^{\mathbb{N}}$

- $\mathbb{Z}[i]$
- $\mathbb{Z}[i\sqrt{5}]$