

This note, that [was found here](#), as a part of [a collection](#) is written (completely with human hands) by [Rupadarshi Ray](#), was created on March 7, 2026 10:39:54 PM, was last modified on June 30, 2026 10:20:45 PM, and was exported on September 7, 2026 3:09:48 PM.

Building hyperbolic 3-manifolds by gluing polyhedra

Current note has 0 direct children and 0 total descendants.

- [stem](#)
 - [Objects stemming from \$PSL\(2\)\(\mathbb{C}\)\$](#)
 - [Kleinian groups \$\Gamma <_d PSL\(2\)\(\mathbb{C}\) \leftrightarrow\$ Hyperbolic 3-manifolds/orbifolds \$\Gamma \backslash \mathbb{R}H^3\$](#)
 - [Building hyperbolic 3-manifolds by gluing polyhedra](#)

And it has 7 siblings.

- [stem](#)
 - [Objects stemming from \$PSL\(2\)\(\mathbb{C}\)\$](#)
 - [Kleinian groups \$\Gamma <_d PSL\(2\)\(\mathbb{C}\) \leftrightarrow\$ Hyperbolic 3-manifolds/orbifolds \$\Gamma \backslash \mathbb{R}H^3\$](#)
 - [Finitely generated, free Kleinian groups](#)
 - [2-generated Kleinian groups](#)
 - [Finitely generated Kleinian groups \$\leftrightarrow\$ topologically tame oriented hyperbolic 3-manifolds/finite degree orbifold covers of](#)
 - [Building hyperbolic 3-manifolds by gluing polyhedra](#)
 - [Kleinian group with \$\Lambda\(\Gamma\) \neq \partial \mathbb{R}H^3\$](#)
 - [Thick-thin decomposition of hyperbolic 3-manifolds](#)
 - [Kleinian ultra-Schottky groups \$\leftrightarrow\$ convex cocompact hyperbolic interior of 3-handlebodies](#)