

This note, that [was found here](#), as a part of [a collection](#) is written (completely with human hands) by [Rupadarshi Ray](#), was created on April 21, 2024 4:05:53 PM, was last modified on May 17, 2026 7:36:48 PM, and was exported on September 7, 2026 3:09:54 PM.

Total variation and sequence of continuous functions



$$\lim_{n \rightarrow \infty} f_n(x) = f(x) \implies V_{[a,b]}(f) \leq \liminf_{n \rightarrow \infty} V_{[a,b]}(f_n)$$

Fix a partition $(x_k)_{k=1}^N$ of $[a, b]$ and let $\epsilon > 0$. Then there is a M such that

$$\begin{aligned} M < n &\implies |f_n(x_k) - f(x_k)| < \epsilon/2 \\ &\quad |f_n(x_{k-1}) - f(x_{k-1})| < \epsilon/2 \\ f(x_k) - f(x_{k-1}) &= f(x_k) - f_n(x_k) \\ &\quad + f_n(x_k) - f_n(x_{k-1}) \\ &\quad + f_n(x_{k-1}) - f(x_{k-1}) \\ |f(x_k) - f(x_{k-1})| &= |f(x_k) - f_n(x_k)| \\ &\quad + |f_n(x_k) - f_n(x_{k-1})| \\ &\quad + |f_n(x_{k-1}) - f(x_{k-1})| \\ &\leq \epsilon/2 + |f_n(x_k) - f_n(x_{k-1})| + \epsilon/2 \\ \sum_{k=1}^N |f(x_k) - f(x_{k-1})| &\leq N\epsilon + \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| \\ &\leq \lim_{n \rightarrow \infty} \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| \end{aligned}$$

Because

$$\begin{aligned} \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| &\leq V_{[a,b]}(f_n), \forall n > 0 \\ \liminf_{n \rightarrow \infty} \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| &\leq \liminf_{n \rightarrow \infty} V_{[a,b]}(f_n) \end{aligned}$$

So we have

$$\begin{aligned} \sum_{k=1}^N |f(x_k) - f(x_{k-1})| &\leq \lim_{n \rightarrow \infty} \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| \\ &= \liminf_{n \rightarrow \infty} \sum_{k=1}^N |f_n(x_k) - f_n(x_{k-1})| \\ &\leq \liminf_{n \rightarrow \infty} V_{[a,b]}(f_n) \end{aligned}$$

Thus

$$V_{[a,b]}(f) := \sup_{\text{partitions}} \sum_{k=1}^N |f(x_k) - f(x_{k-1})| \leq \liminf_{n \rightarrow \infty} V_{[a,b]}(f_n)$$

Current note has 0 direct children and 0 total descendants.

- [stem](#)
 - [subobjects of and functions on \$\mathbb{R}^n, S^n, \mathbb{C}^n\$ and its quotients \$\Gamma \backslash \mathbb{R}^n, \Gamma \backslash \mathbb{C}^n\$](#)
 - [R1](#)
 - [Total variation and sequence of continuous functions](#)

And it has 5 siblings.

- [stem](#)
 - [subobjects of and functions on \$\mathbb{R}^n, S^n, \mathbb{C}^n\$ and its quotients \$\Gamma \backslash \mathbb{R}^n, \Gamma \backslash \mathbb{C}^n\$](#)
 - [R1](#)
 - [Types of discontinuities of functions on \$\mathbb{R}\$](#)
 - [Extremum of functions \$\mathbb{R} \rightarrow \mathbb{R}\$](#)
 - [Fixed points of functions \$U \subseteq \mathbb{R} \rightarrow U\$](#)
 - [lim _{\$x \rightarrow a\$} \$\frac{f\(x\)}{g\(x\)}\$ of functions \$f, g : U \subseteq \mathbb{R} \rightarrow \mathbb{R}\$](#)
 - [Total variation and sequence of continuous functions](#)